

Science and Application of Nanotubes

Edited by:
David Tománek
Richard Enbody

Kluwer Academic Publishers (available as of early March, 2000)

ISBN 0-306-46372-5

For the discounted order form click [HERE](#).

TABLE OF CONTENTS

Part I: Morphology, Characterization, and Formation of Nanotubes

Filling Carbon Nanotubes Using an Arc Discharge <i>A. Loiseau, N. Demoncy, O. Stéphan, C. Colliex, and H. Pascard</i>	1
Simulation of STM Images and STS Spectra of Carbon Nanotubes <i>Ph. Lambin, V. Meunier, and A. Rubio</i>	17
Applications Research on Vapor-Grown Carbon Fibers <i>G.G. Tibbetts, J.C. Finegan, J.J. McHugh, J.-M. Ting, D.G. Glasgow, and M.L. Lake</i>	35
The Growth of Carbon and Boron Nitride Nanotubes: A Quantum Molecular Dynamics Study <i>Jean-Christophe Charlier, Xavier Blase, Alessandro De Vita, and Roberto Car</i>	53
Nanoscopic Hybrid Materials: The Synthesis, Structure and Properties of Peapods, Cats and Kin <i>David E. Luzzi and Brian W. Smith</i>	67
Linear Augmented Cylindrical Wave Method for Nanotubes: Band Structure of $[\text{Cu}@\text{C}_{20}]_{\infty}$ <i>Pavel N. D'yachkov and Oleg M. Kepp</i>	77
Comparative Study of a Coiled Carbon Nanotube by Atomic Force Microscopy and Scanning Electron Microscopy <i>P. Simonis, A. Volodin, E. Seynaeve, Ph. Lambin, and C. Van Haesendonck</i>	83
Investigation of the Deformation of Carbon Nanotube Composites Through the Use of Raman Spectroscopy	93

C.A. Cooper and R.J. Young

Electronic States, Conductance and Localization in Carbon Nanotubes with Defects	103
<i>T. Kostyrko, M. Bartkowiak, and G.D. Mahan</i>	

Physics of the Metal-Carbon Nanotube Interfaces: Charge Transfers, Fermi-Level "Pinning" and Application to the Scanning Tunneling Spectroscopy	121
<i>Yongqiang Xue and Supriyo Datta</i>	

Single Particle Transport Through Carbon Nanotube Wires: Effect of Defects and Polyhedral Cap	137
<i>M.P. Anantram and T.R. Govindan</i>	

Carbon Nanotubes from Oxide Solid Solution: A Way to Composite Powders, Composite Materials and Isolated Nanotubes	151
<i>Christophe Laurent, Alain Peigney, Emmanuel Flahaut, Revathi Bacsá, and Abel Rousset</i>	

Impulse Heating an Intercalated Compound Using a 27.12 MHz Atmospheric Inductively Coupled Argon Plasma to Produce Nanotubular Structures	169
<i>Thomas J. Manning, Andrea Noel, Mike Mitchell, Angela Miller, William Grow, Greg Gaddy, Kim Riddle, Ken Taylor, Joseph Stach, and Thomas Vickers</i>	

The Synthesis of Single-Walled Carbon Nanotubes by CVD Catalyzed with Mesoporous MCM-41 Powder	181
<i>Jun Li, Mawlin Foo, Ying Wang, Hou Tee Ng, Stephan Jaenicke, Guoqin Xu, and Sam F.Y. Li</i>	

Part II: Mechanical and Chemical Properties of Nanotubes

Mechanical Properties and Electronic Transport in Carbon Nanotubes	195
<i>J. Bernholc, M. Buongiorno Nardelli, J.-L. Fattebert, D. Orlikowski, C. Roland, and Q. Zhao</i>	

Electrochemical Storage of Hydrogen in Carbon Single Wall Nanotubes	205
<i>Christoph Nützenadel, Andreas Züttel, Christophe Emmenegger, Patrick Sudan, and Louis Schlapbach</i>	

Direct Measurement of Binding Energy Via Adsorption of Methane on SWNT	215
<i>S. Weber, S. Talapatra, C. Journet, and A. Migone</i>	

Part III: Electronic Properties of Nanotubes

Electrical Properties of Carbon Nanotubes:

Spectroscopy, Localization and Electrical Breakdown <i>Phaedon Avouris, Richard Martel, Hiroya Ikeda, Mark Hersam, Herbert R. Shea, and Alain Rochefort</i>	223
Field Emission of Carbon Nanotubes from Various Tip Structures <i>Jisoon Ihm and Seungwu Han</i>	239
First and Second-Order Resonant Raman Spectra of Single-Walled Carbon Nanotubes <i>M.S. Dresselhaus, M.A. Pimenta, K. Kneipp, S.D.M. Brown, P. Corio, A. Marucci, and G. Dresselhaus</i>	253
On the pi-pi Overlap Energy in Carbon Nanotubes <i>G. Dresselhaus, M.A. Pimenta, R. Saito, J.C. Charlier, S.D.M. Brown, P. Corio, A. Marucci, and M.S. Dresselhaus</i>	275
Electronic and Mechanical Properties of Carbon Nanotubes <i>L. Forró, J.-P. Salvetat, J.-M. Bonard, R. Bacsá, N.H. Thomson, S. Garaj, L. Thien-Nga, R. Gaál, A. Kulik, B. Ruzicka, L. Degiorgi, A. Bachtold, C. Schönenberger, S. Pekker, K. Hernadi</i>	297
Low Energy Theory for STM Imaging of Carbon Nanotubes <i>C.L. Kane and E.J. Mele</i>	321
Quantum Transport in Inhomogeneous Multi-Wall Nanotubes <i>S. Sanvito, Y.-K. Kwon, D. Tománek, and C.J. Lambert</i>	333
Conductivity Measurements of Catalytically Synthesized Carbon Nanotubes <i>M. Ahlskog, R.J.M. Vullers, E. Seynaeve, C. Van Haesendonck, A. Fonseca, and J.B. Nagy</i>	349
Part IV: Applications of Nanotubes	
Fabrication of Full-Color Carbon-Nanotubes Field-Emission Displays: Large Area, High Brightness, and High Stability <i>W.B. Choi, Y.H. Lee, D.S. Chung, N.S. Lee and J.M. Kim</i>	355
Free Space Construction with Carbon Nanotubes <i>George D. Skidmore, Matthew Ellis, and Jim Von Ehr</i>	365
List of Participants	379
Glossary of Common Abbreviations	393

SUBJECT INDEX

Applications, 35

Adsorption

heat of, 217

hydrogen, *see* Hydrogen storage

isotherms, 217

methane, 215

Arc-discharge synthesis, 1, 67-68, 94, 297

Atomic force microscopy (AFM), 83, 85, 300

tapping mode, 85

Attachment of nanotubes, 371

Bucky-paper, 370

Bundles of nanotubes, *see* Ropes of nanotubes

C₆₀ molecules, 2

in peapods, *see* Peapods

Carbon arc, *see* Arc-discharge synthesis

Carbon fibers, 11

adhesion of, 39

air-etched, 47

composites of, *see* Composites of fibers

continuous formation of, 35-36

elastic modulus, 41, 43-44, 46, 48-49

electric conductance, 49

graphitized, 47

infiltration of polymers, 38

modulus, *see* elastic modulus

properties improvement, 48

shear strength, 47

tensile strength, 41-43, 46

vapor-grown, 35-36

Carbon filaments, 35

formation of, 35

Carbon nanotubes

coiled, *see* Coiled nanotubes

composites, *see* Composites of nanotubes

- conductance, *see* Electric transport
- defects in, *see* Defects in nanotubes
- electric properties, *see* Electric properties
- filling, *see* Filling of nanotubes
- field emission, *see* Field electron emission
- growth, *see* Growth mechanism
- magnetic properties, *see* Magnetic properties
- mechanical properties, *see* Mechanical properties
- morphology, *see* Morphology of nanotubes
- purification, *see* Synthesis of nanotubes, purification
- ropes of, *see* Ropes of nanotubes
- spiral, *see* Coiled nanotubes
- synthesis of, *see* Synthesis of nanotubes
- transport in, *see* Electric transport *or* Thermal transport

Catalytic synthesis, 12, 84-85, 152

Chemical composition, 5

Chemical vapor deposition synthesis, 152, 181, 299, 350

Coiled nanotubes, 83-84, 90, 224, 299, 304

- pitch of, 90

Combustion, 35

Composites of fibers, 41, 94, 98

- electric conductance, 49

Composites of nanotubes, 58, 93, 98

- Al₂O₃-based, 154
- deformation of, 93
- densification fracture, 164
- electric conductance, 166
- fracture strength, 165
- matrix reinforcement, 100
- matrix-nanotube interaction, 102
- mechanical properties, 93, 98, 100, 165
- MgAl₂O₄-based, 159
- MgO-based, 161
- nanotube-matrix interaction, 166
- metal-oxide composites, 152-153

Conductance of nanotubes, *see* Electric transport

Construction using nanotubes, 365

- attachment, *see* Attachment of nanotubes
- manipulation, *see* Manipulation of nanotubes
- multiple tube assembly, 374
- weaving, 374

Contact potential, 19

Cutting of nanotubes, 373

Defects in nanotubes, 28, 103, 128

 dilute disorder, 113

 formation of, 31

 heptagon, 84

 interference effects, 112

 local charge neutrality, 131

 localization length, 116

 Lyapunov exponents, 116

 pentagon, 84

 pentagon-heptagon pair, 29, 90

 scattering from defects, 109

 Stone-Wales, 17, 30-31, 196

Deformation of nanotubes, 95

 addimer-induced transformation, 198

Diffraction, 2, 7

Doping of nanotubes, 231

Electric properties, 223

 metallic CNTs, 22

 semiconducting CNTs, 22, 231

 work function of CNTs, 362

Electric transport 195, 223, 231

 Aharonov-Bohm effect, 306, 308

 anti-resonance, 144

 ballistic, 118, 137, 199, 305, 309, 334, 350, 352

 bent nanotubes, 236

 bond rotation defect, 144

 breakdown, 223, 229

 capped nanotubes, 137, 143

 coherence length, 223, 226, 309

 conductance, 22, 103-104, 129

 conductance quantization, 305, 333

 contact resistance, 349

 current densities, 229

 current-voltage characteristics, 351

 defect scattering, 137, 200

 dependence on energy, 339, 343

 diffusive, 308

 effect of tube diameter, 141

 fabrication of contacts, 351

 inhomogeneous multi-wall nanotubes, 342

 Kondo scattering, 228

Landauer-Büttiker formalism, 107, 336
localization, 118, 223
localization length, 140
Luttinger liquid behavior, 228, 305-306, 310
magnetoresistance, 227, 308
multi-wall nanotubes, 307, 338, 349
non-ohmic, 231
ohmic, 118
quantum interference, 306
quasi-ballistic, 309
quasiparticle lifetime, 113
resonances in transmission, 138
scattering from, 322
scattering theory of, *see* Scattering theory
single-wall nanotubes, 307
spin-orbit scattering, 228
strong isolated defects, 141
strong localization, 227
sub-band contribution, 141
superconductivity, 352
temperature-dependent resistance, 307
transmission gap, 142
transmission probability, 138-140, 143, 336
twisted nanotubes, 236
universal conductance fluctuations, 227
weak localization, 225
weak uniform disorder, 140
zero-bias anomaly, 228, 310

Electrodes

graphite, 2, 6

Electrolysis, 2

Electron diffraction, 2

Electron energy loss spectroscopy (EELS), 2, 7

Electron irradiation, 302

Electron spin resonance, 311

multi-wall tubes, 312

single-wall tubes, 313

Electronic structure, 18, 123, 126

band dispersion, 77, 79-80, 276

band-bending in semiconducting nanotubes, 232

charge density waves, 322

charge transfer at interfaces, *see* Interface with metals, charge transfer

D-band, 292

density matrix, 322-323

- density of states, 139, 240, 253, 255-256, 311
- electron spin g-factor, 312
- electronic states, 103
- Fermi-level pinning, 121
- G' band, 293
- graphite, 20, 264, 281-282
- localized states, 103, 240
- metallic nanotubes, 278, 281
- multi-wall nanotubes, 338
- particle-hole state symmetry, 276
- pp-pi matrix element γ_0 , 256, 275, 311
- pseudogaps, 24
- self-consistent potential, 124
- semiconducting nanotubes, 278, 281
- single-wall nanotubes, 17, 103, 137, 223, 321
- Slonczewski-Weiss-McClure band model, 275
- spin relaxation, 312
- spin susceptibility, 311
- spin-orbit coupling, 312
- tunneling states, 322
- van Hove singularities, 24, 280, 283, 309

Energy storage

- electrochemical double layer, 209

Field electron emission

- closed nanotubes, 315
- cold cathode, 355, 362
- current stability, 363
- current-voltage characteristics, 360
- densities of emitters in displays, 363
- display brightness, 359
- display characteristics, 359
- emission current, 362
- emitter array, 248
- Fowler-Nordheim theory, 239, 318
- field enhancement, 241, 245-248, 316, 360
- flat-panel display, 355, 359
- isolated multi-wall nanotubes, 314
- localized states, 246
- luminescence induced by, 317
- mechanism, 318
- nanotube cathode, 355, 362
- nanotube emitter array, 316
- onset electric field, 360

open-ended nanotube emitter, 315

uniformity, 360

Filling of nanotubes, 1, 3

by C_{60} , *see* Peapods

by metals, 77, 81

capillarity, 1

Formation process, *see* Growth mechanism *or* Synthesis of nanotubes

Graphite

electrodes, *see* Electrodes, graphite

electronic structure, *see* Electronic structure, graphite

exfoliation of graphite, *see* Growth mechanism, graphite exfoliation

fluorination, *see* Synthesis of nanotubes,

fluorinated graphite

phonon structure, *see* Phonon structure, graphite

Graphitization, 12

Growth mechanism, 2, 10, 53

base growth, 163, 191

boron nitride (BN) nanotubes, 53-54, 58, 62-63

carbon nanotubes, 53-54, 190

dynamics, 60

frustration effects, 58

frustration energies, 60

graphite exfoliation, 171

lip-lip interaction, 56

multi-wall nanotubes (MWNTs), 57

single-wall nanotubes (SWNTs), 54

termination, 12

tip-growth, 163, 191

yarmulke-growth, 163

Heat conductance, *see* Thermal transport

Helicity, *see* Coiled nanotubes, pitch of

Hybrid assemblies of nanotubes, 67

Hydrogen storage, 215

capacity, 209

cyclic stability, 207

electrochemical, 205

reaction rate, 209

Hydrogenation of nanotubes, 302

Interface with metals, 121, 124, 127

charge transfer, 124

Inter-wall coupling, 27

Junctions of nanotubes, 30

Light emission, 317

Magnetic properties, 312

Manipulation of nanotubes, 365

attachment, *see* Attachment of nanotubes

Mechanical properties, 195, 297

bending modulus, *see* Young's modulus

disorder, 302

ductile-brittle domain map, 198

elastic modulus, *see* Young's modulus

fracture toughness, 154

mechanical strength, 300

multi-wall nanotubes, 93-94, 100

nanotube composites, *see* Composites of nanotubes

nanotube ropes, 300

tensile strength, 94

Young's modulus, 94, 300

Metal-induced gap states (MIGS), 122, 132

Moiré super-pattern, 27

Molecular dynamics simulations, 53

Morphology of nanotubes, 58, 83

achiral, *see* non-chiral

armchair, 22, 24, 54, 60

bundled, *see* Ropes of nanotubes

capped, 216

chiral, 17, 25-26

coiled, *see* Coiled nanotubes

diameter, 162, 187

Euler's theorem, 55

helical, *see* Coiled nanotubes

multi-wall, 10, 27, 56

non-chiral, 25

rings, *see* Coiled nanotubes

rippling in bent nanotubes, 304

ropes, *see* Ropes of nanotubes

single-wall, 10, 17, 54, 93-95, 122

spiral, *see* Coiled nanotubes

symmetry, 27-28

terminating caps, 23, 27, 54

twisted, 28, 236

zig-zag, 24, 54, 61

Nanoencapsulates, 177

Nanotube ropes, *see* Ropes of nanotubes

Nanotubes

boron nitride, 53

carbon, *see* Carbon nanotubes

Nanowires, 2, 9-10

Optical conductivity of nanotubes, 306

Peapods, 67-68

Phase diagrams, 13-14

Phonon structure

anti-Stokes spectra, 258

combination modes, 266, 270

D-band, 261

dependence on tube diameter, 256

G'-band, 261

graphite, 264

overtone modes, 266

radial breathing mode, 253, 256

resonant Raman scattering, *see* Raman

spectroscopy, resonant

Stokes spectra, 258

tangential stretching mode, 253, 256

Pulsed laser vaporization synthesis, 67-68, 94

Quantum dots, 198

Raman spectroscopy, 93, 94

resonant, 253, 256, 287

Ropes of nanotubes, 27, 160-161, 182, 189, 374

Scanning electron microscopy (SEM), 83, 85

Scanning tunneling microscopy (STM), 17, 122, 286, 321

atomic corrugation, 24

bias-dependence of STM images in metallic nanotubes, 326

bias-dependence of STM images in semiconducting nanotubes, 327

current-voltage characteristics, 20-21

geometric distortion, 26

images, 20, 24

Scanning tunneling spectroscopy (STS), 17, 22, 121, 129, 286

Scattering theory, 104, 333, 335

transfer matrix approach, 105

Schottky barrier, 122, 132

Spectroscopy, 223, 236

electron, *see* Electron energy loss

spectroscopy (EELS), 2, 7

optical transmission spectroscopy, 286

Raman, *see* Raman spectroscopy

tunneling, *see* Scanning tunneling spectroscopy (STS)

Stability

structural, 58

thermal, 229

Strain energy

axial, 196

bending, 59

Sulfide, 7-8

Sulfur, 2, 6, 9, 10-12

Surface treatment, 44

Synthesis of nanotubes

arc discharge, *see* Arc-discharge synthesis

catalytic, *see* Catalytic synthesis

chemical vapor deposition (CVD), *see* Chemical vapor deposition synthesis

CO disproportionation, 152

electrolysis of molten salts, 151

fluorinated graphite, 172

inductively coupled plasma, 169, 170

mesoporous templates, 182

methane decomposition, 158

powder synthesis, 152

pulsed laser vaporization, *see* Pulsed laser vaporization synthesis

purification of nanotubes, 297

pyrolysis 2, 35, 151

reduction of solid solutions, 152

solar technique, 151

spiral nanotubes, 299

temperature range, 10

Tight-binding formalism, 18

Thermal transport, 229

Topology, *see* Morphology of nanotubes

Transmission electron microscopy (TEM), 2, 36, 68, 84

Tunneling processes, 18

Van Hove singularities, *see* Electronic structure, van Hove singularities



... back to the NANOTUBE-99 Home Page



... back to the Nanotube Site

David Tomanek at Michigan State University / tomanek@pa.msu.edu

*Document [href=http://www.pa.msu.edu/cmp/csc/NANOTUBE-99/publish/nt99-proc-contents.html](http://www.pa.msu.edu/cmp/csc/NANOTUBE-99/publish/nt99-proc-contents.html)
has been visited*